






























































TABLE 1:

Reporting Requirements for a Health Care Provider or an Administrator of a Health Care Institution or Correctional Facility.

Reportable Disease	Always Report Within 24 Hours	Report An Outbreak Within 24 Hours	Report Within 24 Hours If Employed In Health Care, Child Care, or Food Safety	Report Within 1 Working Day	Report Within 5 Working Days
Amebiasis		O	*		
Anthrax					
Aseptic meningitis: viral					
Basidiobolomycosis					
Botulism					
Brucellosis				①	
Campylobacteriosis		O	*		
Chancroid					
<i>Chlamydia</i> infection, genital					
Cholera			*	①	
Coccidioidomycosis (valley fever)					
Colorado tick fever					
Conjunctivitis: acute		O			
Creutzfeldt-Jakob disease					
Cryptosporidiosis		O	*		
<i>Cyclospora</i> infection					
Cysticercosis					
Dengue					
Diarrhea, nausea, or vomiting		O			
Diphtheria					
Ehrlichiosis					
Emerging or exotic disease					
Encephalitis, viral or parasitic				①	
Enterohemorrhagic <i>Escherichia coli</i>					
Enterotoxigenic <i>Escherichia coli</i>					
Giardiasis		O	*		
Gonorrhea					
<i>Haemophilus influenzae</i> : invasive disease					
Hansen's disease (Leprosy)					
Hantavirus infection					
Hemolytic uremic syndrome					
Hepatitis A		O	*		
Hepatitis B and D					
Hepatitis C					

			Report Within		
		Report An	24 Hours If Employed		
	Always Report	Outbreak	In Health Care, Child	Report Within	Report Within
Reportable Disease	Within 24 Hours	Within 24 Hours	Care, or Food Safety	1 Working Day	5 Working Days
Hepatitis E		O	*		
Herpes genitalis					
HIV infection and related disease					
Kawasaki syndrome					
Legionellosis (Legionnaires' disease)					
Leptospirosis					
Listeriosis					
Lyme disease					
Lymphocytic choriomeningitis					
Malaria					
Measles (rubeola)					
Meningococcal invasive disease					
Mumps				①	
Pertussis (whooping cough)					
Plague					
Poliomyelitis					
Psittacosis (ornithosis)					
Q fever				①	
Rabies in a human					
Relapsing fever (borreliosis)					
Reye syndrome					
Rocky Mountain spotted fever					
Rubella (German measles)			*	①	
Rubella syndrome, congenital				①	
Salmonellosis		O	*		
Scabies		O			
Severe acute respiratory syndrome					
Shigellosis		O	*		
Smallpox					
Streptococcal Group A: Invasive disease					
Streptococcal Group B: Invasive disease in infants younger than 90 days of age					
<i>Streptococcus pneumoniae</i> (pneumococcal invasive disease)					
Syphilis					
Taeniasis		O	*		
Tetanus					
Toxic shock syndrome					
Trichinosis					

			Report Within		
		Report An	24 Hours If Employed		
	Always Report	Outbreak	In Health Care, Child	Report Within	Report Within
Reportable Disease	Within 24 Hours	Within 24 Hours	Care, or Food Safety	1 Working Day	5 Working Days
Tuberculosis				①	
Tuberculosis infection in a child younger than 6 (positive test result)				①	
Tularemia	☎				
Typhoid fever	☎				
Typhus fever				①	
Unexplained death with a history of fever	☎				
Vaccinia-related adverse event				①	
Vancomycin-resistant <i>Enterococcus</i> spp.					☒
Vancomycin-resistant or Vancomycin-intermediate <i>Staphylococcus aureus</i>	☎				
Vancomycin-resistant <i>Staphylococcus epidermidis</i>	☎				
Varicella (chickenpox)					☒
<i>Vibrio</i> infection		○	*		☒
Viral hemorrhagic fever	☎				
West Nile virus infection	☎				
Yellow fever	☎				
Yersiniosis		○	*		☒
<p>☎ Submit a report by telephone or through an electronic reporting system authorized by the Department within 24 hours after a case or suspect case is diagnosed, treated, or detected or an occurrence is detected.</p> <p>○ Submit a report within 24 hours after detecting an outbreak.</p> <p>* If a case or suspect case is a food handler or works in a child care establishment or a health care institution, instead of reporting within the general reporting deadline, submit a report within 24 hours after the case or suspect case is diagnosed, treated, or detected.</p> <p>① Submit a report within one working day after a case or suspect case is diagnosed, treated, or detected.</p> <p>☒ Submit a report within five working days after a case or suspect case is diagnosed, treated, or detected.</p>					